



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/721,959	11/27/2000	Junichi Kokudo	Q61990	3595
7590 03/12/2004 SUGHRUE, MION, ZINN, MACPEAK & SEAS			EXAMINER	
			MEW, KEVIN D	
2100 Pennsylvania Avenue, N. W. Washington, DC 20037-3202			ART UNIT	PAPER NUMBER
_			2664	-
			DATE MAILED: 03/12/2004	, 4

Please find below and/or attached an Office communication concerning this application or proceeding.

Ph

	Application No.	Applicant(s)				
	09/721,959	KOKUDO, JUNICHI				
Office Action Summary	Examiner	Art Unit				
	Kevin Mew	2664				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet v	vith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a reply within the statutory minimum of th riod will apply and will expire SIX (6) MC atute, cause the application to become A	a reply be timely filed birty (30) days will be considered timely. NTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 2	7 November 2000.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☐ Claim(s) 1-6 is/are pending in the application 4a) Of the above claim(s) is/are without 5) ☐ Claim(s) 5 and 6 is/are allowed. 6) ☐ Claim(s) 1-4 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	drawn from consideration.					
Application Papers						
9) The specification is objected to by the Exam 10) The drawing(s) filed on 27 November 2000 Applicant may not request that any objection to a Replacement drawing sheet(s) including the cor 11) The oath or declaration is objected to by the	is/are: a)⊠ accepted or b)[the drawing(s) be held in abeya rection is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119	•					
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bur * See the attached detailed Office action for a	ents have been received. ents have been received in priority documents have bee reau (PCT Rule 17.2(a)).	Application No n received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date 3.	Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application (PTO-152) 				

Application/Control hber: 09/721,959

Art Unit: 2664

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 1. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Malek et al. (US Patent 5,822,313).

Regarding claim 1, Malek discloses a seamless handover technique between base stations in a TDMA controller as a wireless telephone handset is transported from one base station to another, which requires wireless telephone to transmit in a different slot pair within a frame (receiving assignment terms for a plurality of time slots and slot data from an external source, see lines 43-47 and 63-66, col. 2). Furthermore, Malek discloses a burst mode controller (a slot assignment unit, see element 84 which comprises elements 92, 93, 94) for creating the slots for transmission in a TDMA transceiver (time division multiple access transmitter, see lines 24-25, and Figure 3), comprising:

a plurality of Finite State Machine (a control data generation unit, see element 126, Figure 4), each of which is a hardware state machine for providing a sequence of control codes (producing a set of assignment control data) and storing the sequence of control codes in storage devices (a first table and storing the set of assignment control data into an entry of said first table, see line 67, col. 5 and lines 1-3, col. 6) in response to a series of command signals applied to it from the micro-sequencer core (in response

Application/Control I hber: 09/721,959

Art Unit: 2664

to a command signal applied thereto, see lines 41-44 and 48-52, col. 5, and element 124, Figure 4); and

a Sequencer (see element 94, Figure 3) comprising a micro-sequencer core (see element 124, Figure 3), an address generation unit (element 93, Figure 3), a microcode store (see element 128, Figure 4), and a data RAM (see element 92, Figure 3; note that the Sequencer, AGU, and Data RAM 92 are interpreted as the sequence controller), where the address generation unit (AGU) generates addresses and stores them in RAM 92 (producing a plurality of address pointers, storing said plurality of address pointers in said second table; note that RAM 92 is interpreted as second table, see lines 12-14, col. 4 and lines 55-57, col. 6), and selects a next address in the microcode store via the address in RAM 92 read by a slot pointer (address pointers can be sequentially read out in a desired transmission sequence, see lines 5-7, col. 5, lines 48-53, col. 6 and Figure 5), where microcode store contains a series of commands for the micro-sequencer core, which in turn provides enabling commands (supplying said command signal, see lines 41-43, col. 5) to the proper FSM (to said control data generation unit) to build a slot for the transmit function (supplying said command signal to said control data generation unit in response to each of said address pointers, see lines 48-52, col. 5).

Application/Control I hber: 09/721,959

Art Unit: 2664

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Malek.

Malek discloses all the aspects of the claimed invention set forth in the rejection of claim 1 above. Malek further discloses a transmit buffer (data memory) for storing data to be transmitted (a data memory for storing a plurality of transmit data, see line 14, col. 9). Although Malek does not explicitly disclose the modern interface unit is sequentially reading address pointers from said starting address of said second table and reading assignment control data from entries of said first table, Malek does disclose a modem interface unit (a framing unit, see element 95, Figure 3) that receives control signals from the sequencer and, in response, retrieves the bits from various sources such as data RAM 92 (note that RAM 92 is a memory means for storing addresses for control codes) for building the serial bit stream in a slot (see lines 19-22, col. 4, formulating a frame with the read assignment control data and said plurality of transmit data from said data memory), and receives audio information bits (a plurality of transmit data) from the CODEC interface unit (see lines 3-5, col. 4, and element 90, Figure 3). Also, it is well known in the art that an address pointer is used to locate the data pointed to by the address pointer at the starting address of data.

Application/Control I hber: 09/721,959

Art Unit: 2664

Therefore, it would have been obvious to one ordinary skill in the art at the time the invention was made to modify the modem interface unit of Malek such that the control codes of the proper FSM (assignment control data) would be read out by the modem interface unit according to the address being retrieved by the modem interface unit at RAM92. The motivation to do so is for the modem interface unit to obtain control codes from the corresponding FSM being pointed to by the address located at RAM 92 because it would provide the corresponding control codes necessary to be formulated with transmission data in each time slot of a TDMA frame.

3. Claims 2 & 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malek in view of Kou (US Patent 5,790,535).

Regarding claims 2 & 4, Malek discloses all the aspects of the claimed invention set forth in the rejection of claims 1, 3 above, except fails to discloses said set of assignment control data stored in said first table includes an address of a communication terminal, a starting address point of each transmit data in said data memory, and a count number of slots assigned to said entry. However, Kou discloses a TDMA satellite channel access system in which the packet data transmitted from the remote earth stations to the central earth station has a format comprising an overhead field (OH), an address field (ADRS), and a request field (REQ). The overhead field consists of a unique word subfield indicative of head of data (a starting address point of each transmit data in said data memory). The address field indicates a sender address of the remote earth station (an address of a communication terminal). The request field (REQ) indicates the number of time slots for requesting reservation (a count number of slots assigned to

Application/Control Ther: 09/721,959

Art Unit: 2664

each entry, see lines 56-67, col. 4 and lines 1-2, col. 5). Therefore, it would have been obvious to one ordinary skill in the art the FSM of Malek such that the control codes of the FSM would include the OH field, the ADRS field, and the REQ field such as the aforementioned packet data format taught by Kou. The motivation to do so is to decrease collisions of data sent from each remote station and a delay of transmission of data from each remote station because the count number of slots indicates an appropriate number of time slots has already been reserved to adequately accommodate the communication traffic between the central station and each remote station (a communication terminal).

Allowable Subject Matter

4. Claims 5 & 6 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Regarding claim 5, a slot assignment method for a time division multiple access (TDMA) transmitter, comprising the steps of:

- c) repeating steps (a) and (b) to produce a plurality of sets of assignment control data.
- g) repeating steps (d) to (f) until all of said assignment control data are stored in the first table.

Application/Control Conber: 09/721,959

Art Unit: 2664

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure with respect to high speed TDMA slot assignment.

US Patent 5,659,698 to Weng et al.

US Patent 6,249,526 to Loukianov

US Patent 5,241,541 to Farrell et al.

US Patent 5,682,419 to Grube et al.

US Patent 6,208,650 to Hassell et al.

US Patent 5,210,747 to Gauthier et al.

US Patent 5,862,135 to Petty

US Patent 6,545,993 to Bharath et al.

US Patent 5,323,446 to Kojima et al.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Mew whose telephone number is 703-305-5300.

The examiner can normally be reached on 9:00 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on 703-305-4798. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRIMARY EXAMINER

KDM Art Unit 2664